

11-20-00

A

Attorney Docket No.: IR-024

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

November 18, 2000

Box Patent Application  
 Assistant Commissioner for Patents  
 Washington, D.C. 20231

Transmitted herewith for filing is a patent application, as follows:

Inventor: Michael L. Harville

Title: Iterative, Maximally Probable, Batch-Mode Commercial Detection for Audiovisual Content

☒ This application is a ☐ continuation ☐ divisional ☒ continuation-in-part of prior application  
 Serial No. 60/166,528. The entire disclosure of the prior application is considered as being part of  
 the disclosure of the accompanying application and is hereby incorporated by reference therein.

Enclosed with this transmittal letter are:

- 33 pages of specification, claims and abstract
- 4 pages of drawings
- ☒ Declaration and Power of Attorney (3 pages)
  - ☒ Unexecuted
  - ☐ Newly executed
  - ☐ Copy from a prior application
- ☐ Assignment of the invention to Interval Research Corporation,  
 with Recordation Form Cover Sheet (     pages)
- ☐ Verified statement claiming small entity status (     pages)
- ☐ Form PT0-1449 (     pages)
- ☐ Preliminary amendment (     pages)
- ☐ Certified copy of          Patent Application No.
- ☐ Check for \$          (Check No.     )
- ☒ Return receipt postcard
- ☒ This sheet in duplicate

The filing fee is calculated as follows (small entity status is not claimed):

## CLAIMS AS FILED

	Number Filed	Number Extra	Rate	Fee
Basic Filing Fee:				\$ 710.00
Total Claims:	11 - 20 =	0	X \$18 =	\$ 0.00
Independent Claims:	5 - 3 =	2	X \$80 =	\$ 160.00
<input type="checkbox"/> Application contains one or more multiple dependent claims (\$270 total fee)				\$ 0.00
<b>TOTAL FILING FEE:</b>				<b>\$ 870.00</b>

Please address future correspondence regarding this application to:  
 David R. Graham, 1337 Chewpon Avenue, Milpitas, California 95035.

I hereby certify that this correspondence is being  
 deposited with the United States Postal Service as  
 Express Mail in an envelope addressed to:  
 Assistant Commissioner for Patents, Washington,  
 D.C., 20231, on November 18, 2000.  
 Express Mail Receipt No. EL301373815US

*David R. Graham* 11-18-00  
 David R. Graham Date

Respectfully submitted,

*David R. Graham*

David R. Graham  
 Reg. No. 36,150  
 Attorney for Applicant  
 Tel. No.: (408) 945-9912

jc515 U.S. PTO  
 09/115901  
 11/18/00

jc830 U.S. PTO  
 11/18/00

09/115901-11/18/00

ITERATIVE, MAXIMALLY PROBABLE, BATCH-MODE  
COMMERCIAL DETECTION FOR AUDIOVISUAL CONTENT

Michael L. Harville

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

This invention relates to determining the starting and ending times of commercial breaks, as well as the starting and ending times of commercials within those commercial breaks, in audiovisual content (e.g., a television  
10 broadcast).

2. Related Art

There are a variety of previous approaches to detecting commercials in a television broadcast. However, previous approaches suffer from a flaw in that they act as relatively  
15 simple finite state machines with little or no error recovery. Previous approaches sometimes make an erroneous decision regarding a commercial location which only becomes apparent by considering data far ahead or after the commercial location in time. However, since previous  
20 approaches don't consider such data, information regarding the erroneous decision is ignored and the error remains uncorrected.

Merlino et al. of the MITRE corporation describe a multiple-cue-based method for segmenting news programs,  
25 including finding the commercial breaks. The Merlino et al. method uses black frames, audio silence and blank closed-captioning to find commercials. R. Lienhart et al. of the University of Mannheim also describe a multiple-cue-based system for detecting commercials. The Lienhart et al. method  
30 uses black frames, scene cuts and a measure of motion in a visual recording to detect commercials. The Informedia project at Carnegie-Mellon University used black frames, scene cuts and lapses in closed-captioning to detect commercials. Additionally, some VCRs come with commercial

detection built in to the VCR. There are also a number of patents that describe methods for commercial detection, all of which use coincidences of black frames, audio silence and/or certain closed-captioning signals to detect  
5 commercials. For example, U.S. Patent Nos. 4,319,286, 4,750,053, 4,390,904, 4,782,401 and 4,602,297 detect commercials based on these types of coincidences.

All of the previous approaches to commercial detection select commercial start or end times as the times at which  
10 some combination of cues, such as a black frame and an audio pause, coincide, with some optional restrictions. Typically, in previous approaches the decision as to whether or not a commercial starts at a particular time "t" is independent of the analogous decision for any other time in the audiovisual  
15 broadcast or recording. Previous approaches in which such complete independence does not exist use only a very limited dependence in which the decision at time "t" may be affected by whether or not a commercial was thought to start within some window of time  $[t-n, \dots, t]$  prior to the time "t".  
20 Thus, in previous approaches, a commercial detection decision made at any time "t" in a broadcast or recording is not affected by parts of the broadcast or recording following time "t" and only sometimes is affected by limited parts (less than one minute) of the broadcast or recording  
25 immediately prior to time "t". Further, none of the previous approaches have any sort of double-checking or error recovery; once a decision is made for time "t", by whatever heuristic the approach uses, the decision remains unchanged no matter what happens in the broadcast or recording after  
30 time "t" and no matter what other decisions are made before or after time "t". In summary, previous approaches to commercial detection make decisions as to commercial locations both time-locally and sequentially, i.e., only data from within a narrow time window about a particular time t is  
35 considered in making the decision as to whether a commercial

starts or ends at that time  $t$ , and the decisions are made one at a time and are never reversed.

#### SUMMARY OF THE INVENTION

In accordance with the invention, the starting and  
5 ending times of commercial breaks, as well as the starting  
and ending times of commercials within those commercial  
breaks, can be found in audiovisual content (e.g., a  
television broadcast) using a method having characteristics  
which overcome the above-described disadvantages of the prior  
10 art. The invention is implemented as a solution to a "batch  
optimization" problem in which commercial locations within a  
set of audiovisual content are detected as a group by  
choosing a set of commercial locations which optimizes a cost  
function which can include consideration of, for  
15 example, 1) one or more of many types of visual recording,  
audio recording and/or closed-captioning cues, 2) relative  
locations of commercials within the audiovisual content,  
and/or 3) probability models based on statistics obtained  
regarding characteristics of typical commercial and  
20 commercial breaks (e.g., commercial and commercial break  
duration, separation times of commercials and commercial  
breaks, likelihood of the presence of a commercial at any  
given time in a set of audiovisual content). Optimization  
can be done over the total set of commercial location  
25 decisions, rather than on a per-commercial basis.  
Additionally, the cost function can be iteratively evaluated,  
increasing the accuracy of commercial location decisions  
produced by the method. The logic for making decisions  
regarding detection of commercials in accordance with the  
30 invention is orders of magnitude more sophisticated than that  
of other approaches to commercial detection and produces  
correspondingly superior results. Additionally, many more  
types of information (cues) can be used in detection of  
commercials in accordance with the invention than have been

used in other approaches to commercial detection.

The invention can make use of any one of a number of particular novel collections of cues to enable commercial detection. Previous approaches to commercial detection have  
5 used some of the cues that can be used in commercial detection according to the invention, but have not used all of the cues or collections of cues that can be used in accordance with the invention. Additionally, cues other than those specifically described herein can be used to enable  
10 commercial detection according to the invention.

Embodiments of the invention can have the following advantageous characteristics. The invention can be implemented so that commercial detection is performed iteratively. The invention can be implemented so that  
15 audiovisual content occurring before and/or after the time of a possible commercial is considered in deciding whether a commercial is present at that time. In particular, the invention can be implemented so that commercials are detected in a set of audiovisual content by considering all of that  
20 set of audiovisual content. The invention can be implemented so that the presence of multiple commercials in a set of audiovisual content can be detected at the same time. The invention can be implemented so that a decision regarding whether a commercial is detected at a particular location in  
25 a set of audiovisual content is dependent on the possible detection of one or more commercials at other location(s) in the set of audiovisual content. In particular, the invention can be implemented so that whether a commercial is detected at a particular location in a set of audiovisual content is  
30 dependent on all other possible detections of a commercial in the set of audiovisual content. Finally, as discussed above, the invention can be implemented so that commercial detection is based on the evaluation of a variety of novel cues or combinations of cues. Each of these aspects of the invention  
35 produce improved commercial detection results as compared to

previous approaches to commercial detection.

The invention can be used for a wide variety of applications and purposes, as will be appreciated by those skilled in the art in view of the description herein. For example, commercial detection in accordance with the invention can be useful for enabling the observation of audiovisual content without commercial interruption, recording audiovisual content so that commercials are deleted from the recorded audiovisual content, searching for a particular commercial or a commercial of a particular type within audiovisual content, and customizing commercials in audiovisual content. Additionally, the invention can be used with, or implemented in, for example, conventional network television broadcasts, cable television broadcasts, television set-top boxes and digital VCRs.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a flow chart of a method according to the invention.

Figure 2 is a flow chart of a method according to a particular embodiment of the invention.

Figure 3A is a graph of an example of a function  $P(t)$  which indicates the likelihood that a commercial starts or ends at each time during a set of audiovisual content.

Figure 3B is a graph of an example of a function  $S(t)$  which represents a probability model of the likely location, relative to a particular commercial start or end time, of other commercial start or end times.

Figure 3C is a graph of a function  $C(t)$  produced by convolving the function  $P(t)$  of Figure 3A with the function  $S(t)$  of Figure 3B.

Figure 3D is a graph of an example of a function  $R(t)$  which represents a probability model of the likelihood, at all times within a set of audiovisual content, that a commercial is in progress.

5 Figure 3E is a graph of a function  $P'(t)$  produced by point-wise multiplying the function  $C(t)$  of Figure 3C by the function  $R(t)$  of Figure 3D.

Figure 3F is a graph of an example of a function  $L(t)$  which represents a probability model of the typical duration  
10 of a commercial break.

Figure 3G is a graph of an example of a function  $W(t)$  which represents a probability model of the typical time separation between commercial breaks in a set of audiovisual content.

## 15 DETAILED DESCRIPTION OF THE INVENTION

Figure 1 is a flow chart of a method 100 according to the invention for detecting one or more commercial breaks in a set of audiovisual content, each commercial break including one or more commercials. The method 100 identifies starting  
20 and ending times for each commercial break, as well as starting times for each commercial within a commercial break.

In step 101 of the method 100, the data representing the audiovisual content (including closed-captioning or other transcription data, if applicable) is analyzed to identify  
25 the presence of one or more predetermined types of cues. The location and duration of each cue (i.e., the beginning and ending times of each cue) can be determined. Other characteristics of the cues can be determined as well. Examples of the types of cues that can be identified are  
30 discussed in more detail below.

In step 102 of the method 100, the cues are analyzed to identify possible locations of commercial beginnings or endings (candidate times) within the audiovisual content. Examples of such analysis are discussed further below. A

score is assigned to each candidate time, the score representing a probability that the candidate time is in fact a beginning or ending of a commercial.

In step 103 of the method 100, the scores associated with each candidate time are adjusted. The score for a candidate time can be adjusted, for example, based on an analysis of one or more cues proximate to the candidate time that are different than the one or more cues used to identify the candidate time. For instance, as described in more detail below with respect to step 206 of the method 200 (see Figure 2) the score associated with a candidate time can be adjusted based on the presence or absence of one or more cues within a specified time window that includes the candidate time or to which the candidate time is sufficiently proximate (i.e., is less than a specified short amount of time, such as several seconds, before or after the time window). The score for a candidate time can also be adjusted, for example, based on an evaluation of the relationship between the candidate time and one or more other candidate times. In particular, as described in more detail below with respect to step 207 of the method 200 (see Figure 2), this latter type of adjustment can make use of one or more probability models that describe expected relationship(s) between a candidate time and the one or more other candidate times.

The invention can be implemented so that after the adjustment of scores in step 103, scores below a specified threshold are eliminated. However, this need not necessarily be done.

In step 104 of the method 100, one or more commercial breaks are constructed based on an evaluation of the adjusted scores of the candidate times and relationships among the candidate times. In particular, as described in more detail below with respect to step 208 of the method 200 (see Figure 2), the evaluation of relationships among candidate times can make use of one or more probability models that



describe expected relationship(s) between candidate times.

The method 100 can be implemented so that step 104 is iteratively performed. This can improve the identification of commercial breaks and individual commercials in a set of 5 audiovisual content by enabling reconsideration of high-scoring candidate times which were not chosen as a commercial start or end time in an earlier performance of the step 104.

Figure 2 is a flow chart of a method 200, according to a particular embodiment of the invention, which can be implemented in a system, apparatus or computer program according to the invention to accomplish commercial detection in accordance with the invention. The data input to the method 200 represents audiovisual content (e.g., a television 15 broadcast). Herein, "audiovisual content" includes one or both of visual data and audio data, and can also include closed-captioning data. In some embodiments of the invention, the input data is stored on a data storage medium or media, such as, for example, a computer hard disk (DRAM or 20 SRAM), a CD-ROM, a DVD disk or a VHS tape. As described below, in other embodiments of the invention, the input data can represent live (i.e., not stored) audiovisual content (e.g., a live television broadcast) that is acquired in real time. As shown in Figure 2, the input data is compressed, 25 however this need not necessarily be the case.

The output of the method 200 is a list of commercial break start and end times within the audiovisual content, plus lists of the individual commercial start times (and, therefore, implicitly, the individual commercial end times) 30 within each commercial break. The identification of the start and end times of commercial breaks and individual commercials in the audiovisual content can be used to, for example, enable editing of the audiovisual content. For instance, the detected commercials can be deleted from the 35 audiovisual content or the commercials can be altered in a

desired manner. (The modified data, e.g., data representing commercial-less audiovisual content, can be stored on a data storage medium or media). However, a method according to the invention need not be used to edit the audiovisual content within which the commercial breaks and individual commercials have been detected.

In the first step of the method 200, step 201, the input data is identified as the input data is input to the method 200 (e.g., read from a data storage medium or media).

Apparatus for effecting such identification is known to those skilled in the art and will depend on the source of the input data. For example, readers for all useful data storage media are readily available.

The next step of the method 200, step 202, is to decompress the raw data, if necessary. The invention does not require the original input data to be in compressed format, nor does the invention require the input data to be in uncompressed format. However, if the input data is in compressed format, the implementation of the invention illustrated in Figure 2 requires a decompression mechanism. The precise form of the decompression mechanism depends on the compression format, but decompression mechanisms for all useful forms of compression formats are readily available.

In step 203 of the method 200, the decompressed data is split into visual, audio and closed-captioning subcomponents. (As indicated above, one or two of visual, audio and closed-captioning data may not be present as part of the input data.) The precise form of the mechanism for splitting apart the input data can depend on the decompression mechanism used, but such data-splitting mechanisms are readily available for any useful compression format.

In step 204, the audiovisual content is evaluated to identify the presence of one or more cues in the audiovisual content. Each data subcomponent produced by step 203 is input into one or more analyzers. The analyzer(s) identify

5 characteristics of the cue(s). The following is an exemplary list of characteristics of a set of audiovisual content regarding which cues can be identified within the set of audiovisual content: 1) an audio pause (i.e., a period of silence or near silence) in the audio content, 2) a sequence

15 breaks (cuts) or fades in the visual content (i.e., the number of scene breaks and/or scene fades during a specified time window divided by the duration of the time window), 8) the absence of a usually present network icon (whose shape and color characteristics can be learned

Suitable methods for identifying each of the above-listed cues have been published in various academic journals, industry journals and conference proceedings, and are known to those skilled in the art. As will be appreciated by those skilled in the art in view of the description herein, other cues not listed above can also be used, alone or in combination with each other and/or one or more of the above-listed cues to enable commercial detection according to the

35 invention. The specific methods used to identify the above-

listed or other cues may affect the overall performance of a system or method according to the invention, but, in general, any such methods can be used with the invention. However, it is an advantageous aspect of the invention that the invention  
5 enables use of a combination of the above-listed cues to effect commercial detection.

In an alternative implementation of the invention, the output from step 201 of the method 200 would be input directly to some or all of the analysis engines of step 204.  
10 That is, some of the analysis engines can be made to operate directly on the compressed data, depending on the compression format. For example, the black-frame detection, scene-cut detection, motion analysis and audio-level change detection can all operate directly on data that has been compressed in  
15 the MPEG-1 or MPEG-2 format.

In step 205 of the method 200, one or more of the cues identified in step 204 are analyzed to identify candidate times within the audiovisual content at which a commercial beginning or a commercial ending may occur. For example, an  
20 audio pause often accompanies either the beginning or the end of a commercial, so the presence of an audio pause in the audio content can be identified as a factor that militates toward establishing a candidate time at some time during or proximate to the audio pause. Similarly, a sequence of black  
25 frames often accompanies either the beginning or the end of a commercial, so the presence of a sequence of black frames in the visual content can be identified as a factor that militates toward establishing a candidate time at some time during or proximate to the sequence of black frames. A scene  
30 cut or fade also typically accompanies the beginning or the end of a commercial, so the presence of a scene break or fade in the visual content can be identified as a factor that militates toward establishing a candidate time at some time during or proximate to the scene break or fade. The  
35 beginning and end of a commercial break are often accompanied

by a noticeable increase and decrease in volume,  
respectively, so that a significant change in average volume  
(measured over a specified window of time) can be identified  
as a factor that militates toward establishing a candidate  
5 time at some time proximate to times at which the volume is  
seen to change significantly. Commercials often include  
relatively more musical content than the rest of a set of  
audiovisual content, so the occurrence of a time window of  
specified duration (e.g., the expected duration of a typical  
10 commercial break, such as 60 seconds, or the expected  
duration of a typical commercial, such as 15 or 30 seconds)  
having relatively high musical content (e.g., relatively high  
density of musical content relative to the density of musical  
content in other, proximate time windows) can be identified  
15 as a factor that militates toward establishing candidate  
times at the beginning and end of such a time window. The  
beginning or end of a commercial is often accompanied by a  
change in speaker identity, so the occurrence of a change in  
speaker identity can be identified as a factor that militates  
20 toward establishing a candidate time at, or proximate to, the  
time at which such a change in speaker identity occurs. A  
commercial break often includes a relatively high density of  
scene breaks and/or fades (since a scene break or fade  
typically occurs at the beginning and end of a commercial  
25 break, as well as at the transition between commercials  
within a commercial break, and since commercials often  
include a relatively large number of scene breaks and/or  
fades per unit time within the commercial), so the occurrence  
of a time window of a specified duration (e.g., 60 seconds)  
30 during which the density of scene breaks and/or scene fades  
is relatively high (i.e., exceeds a specified threshold), or  
a significant change in density of scene breaks and/or scene  
fades over one window of time with respect to a proximate  
window of time, can be identified as a factor that militates  
35 toward establishing candidate times at the beginning and end

of such a time window. A network icon is sometimes present during the noncommercial parts of a television broadcast; therefore, if a network icon is determined to be present in a set of audiovisual content, the disappearance of the network icon typically accompanies the beginning of a commercial break and the appearance of the network icon typically accompanies the end of a commercial break, so the appearance or disappearance of a network icon can be identified as a factor that militates toward establishing a candidate time at, or proximate to, a time at which the network icon appears or disappears. Since the average motion level in the visual content of a commercial is often significantly different than the average motion level of other visual content in a set of audiovisual content, significant change in the amount of motion in the visual content of a time window (e.g., about 60 seconds) relative to the amount of motion in the visual content in a proximate time window can be identified as a factor that militates toward establishing candidate times at, or proximate to, the beginning and end of such a time window.

The appearance of text (other than closed-captioning) in a set of audiovisual content often accompanies the beginning of a commercial break and the disappearance of text often accompanies the end of a commercial break, so the appearance or disappearance in a set of audiovisual content of text other than closed-captioning can be identified as a factor that militates toward establishing a candidate time at, or proximate to, a time at which text appears or disappears. If closed-captioning data is present in the data representing the audiovisual content, a closed-captioning scrolling format change often occurs at the beginning or the end of a commercial break, so the occurrence of a closed-captioning scrolling format change can be identified as a factor that militates toward establishing a candidate time at, or proximate to, the time at which such a format change occurs.

If closed-captioning data is present in the data representing

the audiovisual content, the disappearance of closed-captioning often accompanies the beginning of a commercial break and the appearance of closed-captioning often accompanies the end of a commercial break, so the appearance or disappearance of closed-captioning can be identified as a factor that militates toward establishing a candidate time at, or proximate to, a time at which closed-captioning appears or disappears.

As indicated above, it is an advantageous aspect of the invention that the invention enables use of a combination of the cues to effect commercial detection. In particular, the invention can enable the use of cues and combinations of cues that have not previously been used for commercial detection. For example, the invention can advantageously enable any one of detection of the absence of a network icon, an analysis of musical content present in a set of audiovisual content, the density of scene breaks and/or fades, or analysis of the identity of speakers of spoken content to be used alone as a commercial detection cue. These cues can also be used in any combination with each other or any other cue. In particular, it is anticipated that one or more these cues can advantageously be used in combination with one or more of the following cues: 1) the occurrence of an audio pause, 2) the occurrence of a sequence of black frames, 3) a scene cut or fade, 4) the occurrence of specified closed-captioning formatting signals, and 5) the appearance or disappearance of closed-captioning.

Step 205 outputs a list of candidate times at which commercials may be beginning or ending, together with a score or probability associated with each candidate time. In one implementation of the invention, each candidate time is assigned the same initial score. Alternatively, the scores assigned to candidate times can vary. For example, the score for a candidate time can depend on which cue(s) were used to identify the candidate time. The beginning or end of a

commercial can be deduced from the presence of some cues with a greater degree of confidence than that associated with the presence of other cues. To the extent that a candidate time is identified based on a cue with which a relatively high  
5 degree of predictive confidence is associated, the score assigned to that candidate time can be relatively higher than would be the case if a relatively low degree of predictive confidence was associated with the cue. Additionally, the score for each candidate time can be dependent on how  
10 strongly the cue is present in the audiovisual content, as determined in accordance with a criterion or criteria appropriate for that cue: the more strongly a cue is present, the higher the score. For example, when one of the cues used to establish a candidate time is an audio pause,  
15 the score established for the candidate time can be dependent on the duration of the audio pause and/or the degree of silence during the audio pause (e.g., the score for the candidate time is made relatively greater the longer the audio pause or the less sound that is present during the  
20 audio pause). Or, for example, when one of the cues used to establish a candidate time is a sequence of black frames, the score established for the candidate time can be dependent on the duration of the sequence of black frames and/or the completeness of the blackness of the frames (e.g., the score  
25 for the candidate time is made relatively greater the longer or blacker the sequence of black frames). Or, for example, when one of the cues used to establish a candidate time is a scene cut, the score established for the candidate time can be dependent on the number of pixels that changed by more  
30 than a threshold amount from one frame to another (e.g., the score for the candidate time is made relatively greater as more pixels changed between scenes) and/or dependent on the total change of all the pixels from one frame to another (where the "change" for each pixel is the change in the color  
35 or other components of a pixel). Or, for example, when one



of the cues used to establish a candidate time is a significant average audio volume change, the score established for the candidate time can be dependent on degree of the volume change (e.g., the score for the candidate time is made relatively greater as degree of the volume change increases). Those skilled in the art can readily appreciate how the score for a candidate time can be adjusted based on aspects of other cues present in the audiovisual content proximate to the candidate time. Additionally, the score for a candidate time can be dependent on the confidence level associated with identification of the cue in the audiovisual content: the greater the confidence level, the higher the score. (This confidence level is different than the confidence level associated with the predictive capability of the cue, discussed above.) For example, sound represented in audio data may be sound in the audio content or noise. The score for a candidate time identified at least in part based on the presence of an audio pause can be increased or decreased in accordance with extent to which the degree of noise present in the audio data increases or decreases the confidence with which an audio pause can be detected.

In step 206 of the method 200, the scores associated with each candidate time can be adjusted based on the presence or absence of one or more cues within some time window proximate to the candidate time. The cue(s) used to adjust the score of a candidate time in step 206 are different than the cue(s) used to establish the candidate time and an initial associated score in step 205. The duration of the time window and location of the time window with respect to the cue is dependent on the type of cue. For instance, the score for a candidate time is increased (i.e., the likelihood that the candidate time correctly indicates the beginning or ending of a commercial is deemed to increase) in each of the following cases: 1) the candidate time is coincident with the time at which an audio pause

(which is a window of audio silence or near silence) occurs, 2) the candidate time is within or sufficiently proximate to a time window in which the closed-captioning scrolling format is different from that which is typical for audiovisual content of this type, 3) the candidate time is within or sufficiently proximate to a time window during which closed-captioning is absent (for audiovisual content that is known to be closed-captioned), 4) the candidate time is within or sufficiently proximate to a time window of at least a specified duration (e.g., 60 seconds) and including high musical content, 5) the candidate time is within or sufficiently proximate to a time window during which the density of scene breaks and/or scene fades exceeds a specified threshold, 6) the candidate time is sufficiently proximate to a time window of at least a specified duration (e.g., 0.5 seconds) and in which the average motion in the visual content, measured in a specified manner, is less than a specified threshold, 7) the candidate time is within a time window during which a network icon (which has been found to be persistent through a majority of the visual content) is not present at a specified location within the visual content (e.g., a region, such as a corner, near the edge of the visual content), 8) the candidate time is very near (e.g., within about 2 seconds) a time at which the time-averaged audio volume (averaged over a time window of about 10 seconds) has changed by a magnitude of greater than a specified threshold, 9) the candidate time is sufficiently proximate to (within about 1 second) a time when text is present in the visual content, 10) the candidate time is within a specified duration of time (e.g., a few seconds) after the presence in the closed-captioning stream of certain keywords or phrases such as "commercial", "break", "coming up" or "after", or within a specified duration of time (e.g., a few seconds) prior to the presence in the closed-captioning stream of certain keywords or phrases such as "welcome",

In step 207 of the method 200, the scores associated with each candidate time are further adjusted based on one or more probability models of characteristic(s) of the occurrence of commercials and/or commercial breaks within  
35 audiovisual content. For example, the scores of the

candidate times can be adjusted based on a probability model of the time-separation of commercial start and end times. The scores of the candidate times can also be adjusted based on a probability model of the typical locations of commercial breaks within audiovisual content. Such a probability model can be constructed by collecting statistics regarding the relevant characteristic(s) across many sets of audiovisual content of a variety of different types, in order to produce a generic probability model that applies to all types of audiovisual content. Such a probability model can also be made specific to a particular type or types of audiovisual content (including a particular audiovisual program) by only combining statistics across audiovisual content of those type(s). This can be desirable to increase the accuracy obtained when the probability model is used to aid in detection of commercials in audiovisual content of those type(s). Finally, such a probability model can be constructed manually based on the intuition of the implementer of the model as to the characteristic being modeled (e.g., how long commercials typically last or when commercial breaks tend to occur in given audiovisual content). However constructed, the probability model(s) can be represented as functions of time, as described below.

In step 207, one or more probability models can be applied to the list of score-adjusted candidate times generated by step 206 to further adjust the scores of the candidate times. The list of score-adjusted candidate times generated by step 206 is first represented as a function of time,  $P(t)$ , which indicates the likelihood that a commercial starts or ends at each time during the audiovisual content. For all candidate times,  $P(t)$  can be made equal to the adjusted score associated with that candidate time (perhaps normalized by the total of all the adjusted scores), while for all other times  $P(t)$  can be made equal to zero. Figure 3A is a graph of an example of a function  $P(t)$ .

A function  $S(t)$  is determined, representing a probability model of the likely location, relative to a particular commercial start or end time, of other commercial start or end times. The function  $S(t)$  can be particularized  
5 to be representative of a particular type or types of audiovisual content. For example, for American television programs, the function  $S(t)$  will have peaks around  $\pm 30$  seconds,  $\pm 60$  seconds and  $\pm 15$  seconds. Figure 3B is a graph of an example of a function  $S(t)$ .

10  $P(t)$  is convolved with  $S(t)$  to produce a function  $C(t)$ . The value of  $C(t)$  will be very high at times at which a high value of  $P(t)$  is separated from other times having a high value of  $P(t)$  by time durations  $S(t)$  having a high value. In other words,  $C(t)$  will be very large at values of  $t$  which are  
15 high-scoring candidate times and where there are other high-scoring candidate times before and/or after  $t$  by an amount of time corresponding to a typical commercial duration (e.g., 30 seconds). Figure 3C is a graph of a function  $C(t)$  produced by convolving the function  $P(t)$  of Figure 3A with  
20 the function  $S(t)$  of Figure 3B.

A function  $R(t)$  is determined, representing a probability model of the likelihood, at all times within a set of audiovisual content, that a commercial is in progress. If the probability model is restricted to be based on a  
25 particular class of well-defined sets of audiovisual content (e.g., the different versions of a particular recurring audiovisual program) and if commercials tend to be placed at approximately the same times in each such set of audiovisual content, then the probability model will have well-defined  
30 zones during which the probability of a commercial being in progress is high. On the other hand, if the audiovisual content on which the probability model is based is not restricted at all, so that the probability model is learned across all types of audiovisual content, the probability  
35 model will likely be close to a uniform distribution (a flat

function), which is not very useful. Therefore, it is desirable to restrict the audiovisual content on which the probability model is based. In particular, it is desirable to base the probability model which the function  $R(t)$

5 represents on audiovisual content which is similar to that in which commercials are to be detected. Figure 3D is a graph of an example of a function  $R(t)$ .

As indicated above, step 207 begins by convolving the function  $P(t)$  with the function  $S(t)$  to produce the function  
10  $C(t)$ . The function  $C(t)$  is then point-wise multiplied by the function  $R(t)$  to produce a function  $P'(t)$ . Figure 3E is a graph of a function  $P'(t)$  produced by point-wise multiplying the function  $C(t)$  of Figure 3C by the function  $R(t)$  of Figure 3D. The function  $P'(t)$  is resampled at the candidate  
15 times: these samples represent further adjusted scores for the candidate times.

The method 200 is described above as including both score adjustments of the type described in step 206 and score adjustments of the type described in step 207. However, the  
20 method 200 could be implemented with only one of those types of score adjustments, i.e., the method 200 could include only one of steps 206 and 207.

After the adjustment of scores in step 207, optionally, scores below a specified threshold can be eliminated.

25 In step 208 of the method 200, the candidate times and associated adjusted scores are evaluated, and starting and ending times for commercial breaks and individual commercials within those commercial breaks are identified based on that evaluation. Two additional probability models (which can be  
30 represented as functions of time) are used in this evaluation: 1) a function  $L(t)$ , which represents a probability model of the typical duration of a commercial break, and 2) a function  $W(t)$ , which represents a probability model of the typical time separation between commercial  
35 breaks. Each of these probability models, as the probability

models discussed above with respect to step 207, can be constructed based on statistics collected across many types of audiovisual content or across only a particular type or types of audiovisual content, or can be constructed based on  
5 the intuition of the implementer of the model regarding the characteristic being modeled. Figure 3F is a graph of an example of a function  $L(t)$  and Figure 3G is a graph of an example of a function  $W(t)$ .

Step 208 begins by selecting the candidate time with the  
10 highest score to be a commercial start or end time (whether that time is a start time or end time is unknown at this point). A commercial break is then constructed based on the selected candidate time by successively evaluating candidate times in order of decreasing score and adding candidate times  
15 to the commercial break that satisfy each of the following criteria: 1) the additional candidate time is well-spaced in time, in accordance with the function  $S(t)$ , from each candidate time that has already been included in the commercial break, 2) the additional candidate time does not  
20 create a commercial break which is too long, in accordance with the function  $L(t)$ , and 3) the additional candidate time is not too close to other existing commercial breaks, in accordance with the function  $W(t)$ , that have already been identified by the step 208. Stated another way, candidate  
25 times continue to be added to a commercial break in order of score as long as there are any candidate times for which all of the following are true: 1) the value of  $S(t)$ , where " $t$ " is the time separation between the candidate time being evaluated and a candidate time already included in the  
30 commercial break, is above a specified threshold value for each candidate time already included in the commercial break, 2) the value of  $L(t)$ , where " $t$ " is the duration of the commercial break if the candidate time is added to the commercial break, is not below a specified threshold value,  
35 and 3) the value of  $W(t)$ , where " $t$ " is the time separation

CONFIDENTIAL

between the candidate time and an existing commercial break, is not below a specified threshold value for each existing commercial break.

Once no more candidate times can be added to the commercial break currently being constructed, step 208 attempts to find a new candidate time around which to construct a new commercial break. The candidate time with the highest score above a specified threshold that is not currently part of any commercial break, and that is separated from all existing commercial breaks by a time "t" for which  $W(t)$  is above a specified threshold, is selected as a new candidate time upon which to base the construction of a new commercial break. If such a candidate time is identified, then the construction of a commercial break proceeds as described above. If no such candidate time can be identified, then step 208 terminates. The output of step 208 is a list of commercial break start and end times, and lists of start times of individual commercials within each commercial break.

Finally, step 209 of the method 200 causes the set of decisions made in step 208 regarding start and end times of commercial breaks and commercials to be iteratively refined and optimized. Step 209 attempts to account for other high-scoring candidate times which may occur in or near a previously identified commercial break, but which have not yet been chosen as a commercial start or end time. In step 209, the following procedure is performed for each candidate time which has not yet been selected as a commercial start or end time and for which  $P'(t)$  has a magnitude above a specified threshold value.

First, the candidate time is added to the most temporally proximate commercial break, provided that the candidate time would not cause that commercial break to become too long (i.e., the value of  $L(t)$ , where "t" is the duration of the commercial break if the candidate time is



added to the commercial break, is not below a specified threshold value) and would not cause that commercial break to be too close to another commercial break (i.e., the value of  $W(t)$ , where "t" is the time separation between the candidate  
5 time and an existing commercial break, is not below a specified threshold value for each existing commercial break).

Next, additional candidate times that are not part of the commercial break to which a candidate time has just been  
10 added are evaluated according to the same criteria, described above, that were used to construct the commercial break in the first place. That is, the probability models  $S(t)$ ,  $L(t)$ , and  $W(t)$  are all considered as described above.

The new commercial break may have too many candidate  
15 times within it. Thus, an attempt is made to remove candidate times that are located too closely together. For each candidate time of the commercial break, a computation is made of the average  $S(t)$  for the time separation between the candidate time and the two adjacent candidate times. If the  
20 average is below a specified threshold, then it may be that either the candidate time or the adjacent candidate times are not accurate commercial start or end times. If the  $P'(t)$  score of the candidate time is lower than the average  $P'(t)$  of the two adjacent candidate times, the candidate time is  
25 eliminated from the commercial break. Otherwise, any of the two adjacent candidate times that are within a specified small time separation (e.g., 25 seconds) of the candidate time are eliminated from the commercial break.

Finally, after the addition(s) and elimination(s) of  
30 candidate times have been made, a new average score is calculated for the candidate times of the commercial break. If the average score is higher than the average score for the candidate times of the commercial break before changes were made in step 209, the changes are kept. Otherwise, the  
35 changes are discarded and the candidate times of the

commercial break revert back to the candidate times before the addition(s) and elimination(s) made in step 209.

After an attempt has been made to include each of the candidate times for which  $P'(t)$  is above a threshold, a check is made to see if any of these candidate times were in fact included in a commercial break. If none were, then step 209 terminates and outputs the final determination(s) of the method 200 regarding the start and end times of commercial breaks and individual commercials in the audiovisual content. If any of these candidate times were included in a commercial break, then step 209 is repeated: for each candidate time having a score  $P'(t)$  above a specified threshold, an attempt is made to add that candidate time to the nearest commercial break. Many iterations of step 209 may be required before a stable solution is produced (i.e., further changes are not made to the determined start and end times of commercial breaks and individual commercials in the audiovisual content).

The invention as described above can be modified slightly in order to operate on audiovisual content that is being received live via a tuner, cable or other means, and to produce commercial detection results with minimal delay relative to the current live position within the audiovisual content. If the cue(s) are not transmitted with the data representing the audiovisual content, to accomplish this, the invention is implemented to enable the analysis of the audiovisual content to identify the presence of cues (the invention can be implemented to identify one, some or all of the cues described above with respect to step 204 of the method 200 of Figure 2) at a rate that is at least as fast as the rate at which the data representing the audiovisual content is being received. The invention is further implemented so that this can be done while receiving the transmission of the data representing the audiovisual content. The invention is implemented to evaluate lists of

identified cues over a window from the present time "t" back to a time "T" seconds into the past. If the computations done in steps 205 through 209 of the method 200 of Figure 2 (or comparable steps of another method according to the invention, such as the steps 102 through 104 of the method 100 of Figure 1) can be done in N seconds, a new set of commercial location estimates up to the current time "t" minus approximately N seconds can be produced. This can be done every N seconds. For instance, if N = 0.5 seconds, the commercial locations up to the current time with 0.5 seconds delay can be computed and this can be done every 0.5 seconds. This would be sufficiently fast for commercial detection applications that require actions to be taken in roughly "real-time," e.g., changing the channel or stopping recording when a commercial begins. The accuracy of such an embodiment of the invention may not be as high as for an embodiment that operates on audiovisual content that is stored in its entirety, since, in the latter case, information beyond time "t" can be used to improve the commercial detection decision at time "t".

The invention can be implemented entirely in software, entirely in hardware (e.g., using DSPs and/or special purpose ASICs) or in a combination of the two. Firmware can also be used to implement some part or all of the invention.

The invention can be used for a wide variety of applications, as can be appreciated by those skilled in the art in view of the description herein. In general, the invention can be used with any broadcast or other data transmission over a network (e.g., conventional network television broadcasts, cable television broadcasts, broadcasts or transmissions over a computer network such as the Internet - and, in particular, the World Wide Web portion of the Internet). Additionally, the invention can be used generally to detect commercials in audiovisual content represented by any type of data, which data can be stored on

5

10

15

I claim:

1. A method for detecting one or more commercial breaks in a set of audiovisual content, each commercial break including one or more commercials, the method comprising the 5 steps of:

identifying candidate times within the set of audiovisual content based on an evaluation of one or more cues identified in the audiovisual content, each candidate time representing a possible starting time or  
10 a possible ending time of a commercial;

assigning a score to each candidate time;

evaluating, for each of one or more candidate times, 1) one or more cues other than the one or more cues used to identify the candidate time, and/or 2) the  
15 relationship between the candidate time and one or more other candidate times, wherein the score assigned to the candidate time can be adjusted based on the evaluation; and

constructing the one or more commercial breaks  
20 based on an evaluation of 1) the scores of the candidate times after the step of evaluating and 2) the relationship among the candidate times.

2. A method as in Claim 1, further comprising the step of identifying the presence of one or more cues in the  
25 audiovisual content.

3. A method as in Claim 2, wherein the step of identifying the presence of one or more cues in the audiovisual content further comprises evaluating the audiovisual content to identify the presence of one or more  
-30 cues regarding one or more of the following possible characteristics of the audiovisual content: 1) an audio pause in the audio content, 2) a sequence of black frames in the visual content, 3) a scene cut or fade in the visual

content, 4) a significant change in average volume in the audio content, 5) the presence of music in the audio content, 6) speaker identity, 7) the density of scene breaks or fades in the visual content, 8) the absence of a usually present network icon, 9) the degree of motion in a period of visual content, 10) the presence of text in the visual content, 11) the occurrence of specified closed-captioning formatting signals and 12) the absence of closed-captioning.

4. A method as in Claim 2, wherein the step of identifying the presence of one or more cues in the audiovisual content further comprises evaluating the audiovisual content to identify the presence of a cue regarding the absence of a usually present network icon.

5. A method as in Claim 2, wherein the step of identifying the presence of one or more cues in the audiovisual content further comprises evaluating the audiovisual content to identify the presence of a cue regarding the presence of music in the audio content.

6. A method as in Claim 2, wherein the step of identifying the presence of one or more cues in the audiovisual content further comprises evaluating the audiovisual content to identify the presence of a cue regarding the density of scene breaks or fades in the visual content.

7. A method as in Claim 2, wherein the step of identifying the presence of one or more cues in the audiovisual content further comprises evaluating the audiovisual content to identify the presence of a cue regarding speaker identity.

8. A system for detecting one or more commercial breaks in a set of audiovisual content, each commercial break including one or more commercials, the system comprising:

- 5 means for identifying the presence of one or more cues in the audiovisual content;
- means for identifying candidate times within the set of audiovisual content based on an evaluation of one or more cues identified in the audiovisual content, each candidate time representing a possible starting time or
- 10 a possible ending time of a commercial;
- means for assigning a score to each candidate time;
- means for evaluating, for each of one or more candidate times, 1) one or more cues other than the one or more cues used to identify the candidate time,
- 15 and/or 2) the relationship between the candidate time and one or more other candidate times, wherein the score assigned to the candidate time can be adjusted based on the evaluation; and
- means for constructing the one or more commercial
- 20 breaks based on an evaluation of 1) the scores of the candidate times after the step of evaluating and 2) the relationship among the candidate times.

9. A computer readable storage medium or media encoded with one or more computer programs including instructions for

25 detecting one or more commercial breaks in a set of audiovisual content, each commercial break including one or more commercials, the one or more computer programs comprising:

- 30 instructions for identifying the presence of one or more cues in the audiovisual content;
- instructions for identifying candidate times within the set of audiovisual content based on an evaluation of one or more cues identified in the audiovisual content, each candidate time representing a possible starting

time or a possible ending time of a commercial;

instructions for assigning a score to each candidate time;

instructions for evaluating, for each of one or  
5 more candidate times, 1) one or more cues other than the one or more cues used to identify the candidate time, and/or 2) the relationship between the candidate time and one or more other candidate times, wherein the score assigned to the candidate time can be adjusted based on  
10 the evaluation; and

instructions for constructing the one or more commercial breaks based on an evaluation of 1) the scores of the candidate times after the step of evaluating and 2) the relationship among the candidate  
15 times.

10. A method for detecting one or more commercial breaks in a set of audiovisual content, each commercial break including one or more commercials, the method comprising the steps of:

20 identifying candidate times within the set of audiovisual content based on an evaluation of one or more cues identified in the audiovisual content, each candidate time representing a possible starting time or a possible ending time of a commercial;

25 assigning a score to each candidate time; and constructing the one or more commercial breaks based on an evaluation of 1) the scores of the candidate times after the step of evaluating and 2) the relationship among the candidate times.

30 11. A method for detecting one or more commercial breaks in a set of audiovisual content, each commercial break including one or more commercials, wherein candidate times, each candidate time representing a possible starting time or



a possible ending time of a commercial within the set of audiovisual content, have been identified based on an evaluation of one or more cues identified in the audiovisual content and a score assigned to each candidate time, the  
5 method comprising the steps of:

evaluating, for each of one or more candidate times, 1) one or more cues other than the one or more cues used to identify the candidate time, and/or 2) the relationship between the candidate time and one or more  
10 other candidate times, wherein the score assigned to the candidate time can be adjusted based on the evaluation; and

constructing the one or more commercial breaks based on an evaluation of 1) the scores of the candidate  
15 times after the step of evaluating and 2) the relationship among the candidate times.

00344-1054250

ITERATIVE, MAXIMALLY PROBABLE, BATCH-MODE  
COMMERCIAL DETECTION FOR AUDIOVISUAL CONTENT

Michael L. Harville

ABSTRACT

5       The invention identifies starting and ending times of  
commercial breaks, as well as starting and ending times of  
10       commercials within those commercial breaks, can be found in  
audiovisual content (e.g., a television broadcast) using a  
method having characteristics which overcome disadvantages of  
previous commercial detection approaches. The invention is  
implemented as a solution to a "batch optimization" problem  
in which commercial locations within a set of audiovisual  
content are detected as a group by choosing a set of  
commercial locations which optimizes a cost function which  
15       can include consideration of, for example, 1) one or more of  
many types of visual recording, audio recording and/or  
closed-captioning cues, 2) relative locations of commercials  
within the audiovisual content, and/or 3) probability models  
based on statistics obtained regarding characteristics of  
20       typical commercial and commercial breaks (e.g., commercial  
and commercial break duration, separation times of  
commercials and commercial breaks, likelihood of the presence  
of a commercial at any given time in a set of audiovisual  
content). Optimization can be done over the total set of  
25       commercial location decisions, rather than on a  
per-commercial basis. Additionally, the cost function can be  
iteratively evaluated, increasing the accuracy of commercial  
location decisions produced by the method. Additionally,  
many more types of cues and combinations of cues can be used  
30       in detection of commercials in accordance with the invention  
than have been used in other approaches to commercial  
detection.




Figure 1




Figure 2

$$P(t)$$




Figure 3E




Figure 3F




Figure 3G

09745901-44800

## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below adjacent to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of subject matter (process, machine, manufacture, or composition of matter, or an improvement thereof) which is claimed and for which a patent is sought by way of the application entitled Iterative, Maximally Probable, Batch-Mode Commercial Detection for Audiovisual Content,

which (check) ☒ is attached hereto ☐ and is amended by the Preliminary Amendment attached hereto.  
☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ ☐ and was amended on \_\_\_\_\_.

I hereby state that I have reviewed and understood the contents of the above-identified application, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office information known to me to be material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim the priority benefit under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate for the same invention having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed?	
<u>N/A</u>			<u>Yes</u>	<u>No</u>
(Number)	(Country)	(Date Filed)	Yes	No
<u>          </u>	<u>          </u>	<u>          </u>	<u>Yes</u>	<u>No</u>
(Number)	(Country)	(Date Filed)	Yes	No

I hereby claim the priority benefit under Title 35, United States Code, §§ 119 and 365(a) of any international patent application(s), listed below, that do not designate the United States, but do designate at least one country other than the United States, and have also identified below any such international application for the same invention having a filing date before that of the application on which priority is claimed:

Prior International Application(s)		Priority Claimed?	
<u>N/A</u>		<u>Yes</u>	<u>No</u>
(Number)	(Date Filed)	Yes	No
<u>          </u>	<u>          </u>	<u>Yes</u>	<u>No</u>
(Number)	(Date Filed)	Yes	No

I hereby claim the priority benefit under Title 35, United States Code, § 119(e) of the United States provisional patent application(s) listed below and, insofar as any subject matter of the claims of this application is not disclosed in such prior United States provisional application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which became available between the filing date of the prior provisional application(s) and the national or PCT international filing date of this application:

<u>60/166,528</u>	<u>November 18, 1999</u>	<u>Pending</u>
(Appl. Ser. No.)	(Date Filed)	(Status-patented, pending, abandoned)

<u>                    </u>	<u>                    </u>	<u>                    </u>
(Appl. Ser. No.)	(Date Filed)	(Status-patented, pending, abandoned)

I hereby claim the priority benefit under Title 35, United States Code, § 120 of the United States patent application(s) listed below and, insofar as any subject matter of the claims of this application is not disclosed in such prior United States application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

<u>N/A</u>	<u>                    </u>	<u>                    </u>
(Appl. Ser. No.)	(Date Filed)	(Status-patented, pending, abandoned)

<u>                    </u>	<u>                    </u>	<u>                    </u>
(Appl. Ser. No.)	(Date Filed)	(Status-patented, pending, abandoned)

I hereby claim the priority benefit under Title 35, United States Code, §§ 120 and 365(c) of any international patent application(s), listed below, that designate the United States and have also identified below any such international application for the same invention having a filing date before that of the application(s) on which priority is claimed, and, insofar as any subject matter of the claims of this application is not disclosed in such prior international application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which became available between the filing date of the prior international application(s) and the national or PCT international filing date of this application:

Prior International Application(s)

Priority Claimed?

<u>N/A</u>	<u>                    </u>	<u>          </u>	<u>          </u>
(Number)	(Date Filed)	Yes	No
<u>                    </u>	<u>                    </u>	<u>          </u>	<u>          </u>
(Number)	(Date Filed)	Yes	No



I hereby appoint the following attorney, with full power of substitution, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith: David R. Graham, Reg. No. 36,150.

Please address all correspondence regarding this application to David R. Graham, 1337 Chewon Avenue, Milpitas, California 95035.

Please direct all telephone calls regarding this application to David R. Graham at telephone number (408) 945-9912.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made herein on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, § 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_  
 Full name of inventor Michael L. Harville  
 Residence Palo Alto, California Citizenship U.S.  
 Post Office Address P.O. Box 60181  
Palo Alto, California 94306

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_  
 Full name of inventor \_\_\_\_\_  
 Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
 Post Office Address \_\_\_\_\_

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_  
 Full name of inventor \_\_\_\_\_  
 Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
 Post Office Address \_\_\_\_\_

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_  
 Full name of inventor \_\_\_\_\_  
 Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
 Post Office Address \_\_\_\_\_

Inventor's signature \_\_\_\_\_ Date \_\_\_\_\_  
 Full name of inventor \_\_\_\_\_  
 Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
 Post Office Address \_\_\_\_\_